



2













































E.C.A.						di.		C.														
ELA *									a v													
* . *			and a	1					3	-	1		37									
****									4				-									
PEAN CORPUSINGE ACADEMY				10					10													
110150/15/11																						
				120		111/1		1		145	1000	2.2	Contract of	12.	185		1.7	- 1		1	N.C.	
	л																					
RAMM	/																					
	-										_											
nne pharmaplan [.]		Risk An	alysi	s Ma	trix	&					RA MM											
				Mitig	gatic	n					MM											
To add an additional CQA column:																						
To insert a new sheet to document	additional revision	s or mitigations: Control+Shift+I																				
				-	-	-	-	1	1		-		-					-	-	-		
		Relative Importance of CQA	3	3	3	3	2	2	3	3	3	1	1	1	3	3	5	3	3	3		
			2			8		ŝ		ŝ	(man)	6 U				8	ž					
	Monocional A		Sec.	1 per	e a	ž,	2	e z	-	88	s.	100	2 A		~	a la	8	÷	-E	Vel classico		
	Monocional A	ntbody	3	Col Nurré	My copt a	orte	Identity	ale.	Yield	Asso	/e sse	doγ	Osmolality	£	Purky	protein	Host	Bioburdin	Endotadn	cke		
			is the	δ	ŝ	ind Contami	-	Acidio valtant levels		Concentration (As say)	Putty	Visual Appress	ő			česid	sidul Host	8	۵	N.		
Process Step	Class	Process Parameters or Material Attribute	1			>		<		Ŭ	۲	~				3	R.				Total	Action
Raw & intermediate mat	Personnel	Operator variability	1	3	1	3	3	3	9	9	1	1	1	3	1	2	3	0	3	1	350	None
Raw & intermediate mat	Personnel	Shift / Day / Season	1	1	1	а	1	1	1	1	1	1	1	1	1	1	1	3	1	1	144	None
Raw & intermediate mat	Method	Sampling plan	1	1		1	1	1	1	1	1	1	1	1	-	1	1	3	1	1	126	None
Raw & intermediate mat Raw & intermediate mat	Method	Sampion technique Measurement accuracy & precision	1	1	1	1	1	1	1	1	1	1	1	- 1	-	1	1	1		1	108	None
Raw & intermediate mat	Raw Mad	Raw materials	1	1	1	1	1	1	1	1	1	1	-	1	1	1	1	1	1	1	108	None
Raw & intermediate mat	Raw Mat	Holding time/retest period	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	108	None
Thew	Personnel	Equipment setup	3	3	1	3	1	1	1	1	1	1	1	1	1	1	1	9	3	1	228	Environmental monitorin
Those	Method	WCB thaw temperature	3	3	-1	1	1	-1	- 1	-1	- 1	1	-1	-1	1	-1	-1	1	-1	-1	120	None
Thaw Thaw	Method	WCB thaw time Media temperature	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	120	None
Thew	Method	Medium addition volume	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	120	None
Thaw	Method	Centrifugation time	3	3	- 1	1	1	- 1	- 1	- 1	- 1	1	-1	-1	1	-1	- 1	1	1	-1	120	Previous Data Analysis
Shake flask expansion	Personnel	Equipment setup	2	2	3									1					2		246	Environmental monitorin
Shake flask expansion	Method	incubator temperature setroint	3	3	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	126	Previous Data Analysis
Shake flask expansion	Method	Incubator CO2 setpoint	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	120	Previous Data Analysis
Shake flask expansion	Method	Aditiation rate	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	120	DoE Trial
Shake flask expansion Shake flask expansion	Method	Culture time Medium volume	3	3	1	1	1	1	1	1	1	1	1	1	+	1	1	1	1	1	114	DoF Trial DoE Trial
State has example		Net a chi i con a ne																			•	DOE IIIai
N-1 stage cell expansion	Personnel	Fauloment setup	3	3	3	3	1	3	3	3	1	1	1	1	1	1	-1	9	3	1	276	Equipment chaptes
N-1 stage cell expansion N-1 stage cell expansion	Method	Batch media volume	3	3	1	1	1	3	3	3			1	1	-	1	1	1	1	1	240	DoE Trial
N-1 stage cell expansion	Method	Aditation	1	1	1	1	1	9	3	9	1	1	1	1	1	1	1				210	DoE Trial DoF Trial
N-1 stage cell expansion	Method	Dissolved Owners	3	3	1	1	1	9	9	9	1	1	1	1	1	1	1	1	1	1	240	DoF Trial
N-1 stage cell expansion	Method	Overlay CO2 flow rate	3	1	1	1	1	3	3	3	1	1	1	3	1	1	1	1	1	1	146	DoE Trial
N-1 stage cell expansion	Method	Overlavair flow rate Snaroe air flow rate	3	3	1	1	1	1	3	1	1	1	1	3	1	1	1	1	11	1	128	DoE Trial DoF Trial
				-	1			9	3	9					-						210	DoF Trial DoE Trial
N-1 stage cell expansion N-1 stage cell expansion	Method	Post-inoculation temperature																			132	

	verity S amples		cales ac	ross the company
Score	Severity	Impact on patient if failure to meet CQA acceptance criteria	Score	Qualitative Description Drug Product
4 (10)	Catastrophic	High impact on patient which is irreversible and potentially life	5	Life threatening illness or injury - irreversible
3 (7)	Critical	threatening Impact on patient but not life threatening	4	Serious deterioration of health, which could possibly be permanent
2 (4)	Major	Some impact on patient but reversible	3	Medical intervention required, but permanent injury is unlikely
1 (1)	Minor	No impact on patient	2	Results in temporary injury or impairment not requiring medical intervention
af: ISPE PQL	I Product Realisation Good F	rractise Guide	1	No patient harm, (ie. Functional failure), or perceived quality









































18











* ECA * CADEMING ACADEMY	
PV stage 1	 examples of deliverables
Elements	Description
Quality Attributes (CQAs)	Important Product Characteristics
Process Flow Diagram	Description of unit operations, including draft batch record
Quality Risk Assessment	Risk/Criticality/impact assessment of incoming raw and in-process materials and unit operations on drug product quality of unit operations and material attributes on drug product quality
Process Parameters (CPPs)	Identification of any critical process parameters that should be monitored and/or controlled to ensure product quality
Material Attribute (CMAs)	Any excipient quality attributes that has been identified to have an impact on the CQAs. Specifications for these
Scale issues	Expected or Predicted impact of scale at this stage (may not yet be known, but should be predicted at a minimum)
Operating ranges (eg Design Space)	For all relevant process parameters and quality attributes, any ranges, design spaces, models
Control strategy	Mechanisms to sample, measure and control the drug product quality incl. any material attributes or process parameters

